

SECTION D: INFECTION MANAGEMENT		
<input type="checkbox"/> Yes <input type="checkbox"/> No	Was treatment provided to the client? If yes, specify medication & date below. All confirmed cases need to be treated and suspected cases should be considered for treatment. NOTE: Free STIs medications can be ordered from the WECHU to have in your office for prompt treatment.	
	** NEW - TREATMENT PER GUIDELINES FOR UNCOMPLICATED GONORRHEA INFECTIONS AND CHLAMYDIA IN ADULTS	
	First-line Treatment <input type="checkbox"/> Ceftriaxone 500mg IM single dose AND <input type="checkbox"/> Azithromycin 1 g PO single dose	DATE GIVEN (YY/MM/DD):
	Alternative Treatments <input type="checkbox"/> Cefixime 800mg PO AND *Doxycycline 100mg PO BID x 7 days (*Not for use in pregnant/lactating individuals) OR <input type="checkbox"/> Cefixime 800mg PO AND Azithromycin 1g PO	DATE GIVEN (YY/MM/DD):
	<input type="checkbox"/> Other:	DATE GIVEN (YY/MM/DD):
<input type="checkbox"/> Yes <input type="checkbox"/> No	Advise client to inform sexual partners to see a health care provider for testing and treatment. Inform client that WECHU can assist with anonymous partner notification.	
#: _____	# of sexual partners identified by the client 60 days prior.	

SECTION E: CLIENT EDUCATION	
<input type="checkbox"/>	Counsel client regarding transmission and prevention methods. Advise client/contact(s) to abstain from or have protected intercourse of all types (anal, oral, and vaginal) until at least 7 days after completion of <i>appropriate</i> treatment and the clients/contact(s) are asymptomatic.
<input type="checkbox"/>	** NEW - Test of Cure (TOC) is recommended for all positive Gonorrhea sites in all cases. This is particularly important when regimens other than ceftriaxone 500mg IM are used. Obtain NAAT three to four weeks after completion of treatment OR obtain culture at least three days after completion of treatment. If treatment failure is suspected more than three weeks after treatment (e.g., when symptoms persist or recur after treatment), complete both NAAT and Culture.
<input type="checkbox"/>	Inform client that repeat testing for gonorrhea is recommended 6 months post-treatment, as reinfection is high.
<input type="checkbox"/>	Inform client that a nurse from the WECHU may be contacting them.

* The **Public Health Lab Service Desk (1-877-604-4567)** is available to answer questions regarding specimen collection. An online test information index is also available at www.publichealthontario.ca.

REPORTING HEALTH CARE PROVIDER'S SIGNATURE: _____

The most current form is available on our website:
<https://www.wechu.org/forms/>

For more information: 519-258-2146 ext. 1420
 Infectious Disease Prevention
www.wechu.org
 AUGUST 2021/COMMUNITY/GC-CHLAMYDIA